

Rogerson Foray -- Cave Hill Resort, Moodus CT, Aug. 23-26, 2007

Identifiers: Leon Shernoff; Roz Lowen, Rod Tulloss; Bill Bakaitis, Walt Rode, Noah Siegel, Dianna Smith, Sandy Sheine, Bill Yule
Checklist: Ursula Hoffmann & Paula DeSanto

Total number of taxa identified: 338 New (*) to the COMA checklist: 46 Authority: Index Fungorum

- Acremonium sp.
Agaricus placomyces Peck
Agaricus silvicola (Vitt.)Peck
Alboleptonia sericella* (=Entoloma sericellum) (Fr.) Largent & R.G. Benedict
Amanita N34 (=NE34)
Amanita N47*
Amanita N48*
Amanita N49*
Amanita NJ36*
Amanita NJ5*
Amanita S3*
Amanita W7*
Amanita abrupta Peck
Amanita aestivalis Sing.
Amanita bisporigera Atk.
Amanita brunnescens Atk.
Amanita canescens* Jenkins
Amanita crenulata* Peck
Amanita elongata* Peck
Amanita farinosa Schw.
Amanita flavoconia Atk.
Amanita flavorubens (B.&Mont.)Sacc.
Amanita fulva (Schaeff.)Fr.
Amanita longicuneus* (=NJ28) nom. prov. Tulloss
Amanita onusta (Howe)Sacc.
Amanita peckiana Kauff.
Amanita praecox (=NJ32) nom. prov. (Lam. & Tull.)
Amanita pseudovolva (=NJ41) nom. prov. Tulloss
Amanita recutita sensu Coker*
Amanita rubescens Pers.
Amanita solaniolens* Stewart & Grund
Amanita spreta (Pk.)Sacc.
Amanita submaculata (=NJ18) Peck
Amanita subsolitaria* (Murrill)Murrill
Amanita virginiana (Murrill)Murrill
Apiosporina morbosa (=Dibotryon) (Schw.:Fr.)Arx
Asterophora lycoperdoides (=Nyctalis asterophora) Ditmar:S.F.Gray
Astraeus hygrometricus (Pers.)Morg.
Austroboletus gracilis (=Tylopilus, Porphyrellus) (Pk.)Wolfe
Bankera violescens (A.&S.:Fr.)Pouzar
Bisporella citrina (=Helotium, Calycella) (Batsch:Fr.)Korf&Carp.
Boletellus chrysenteroides (=Boletus) (Snell)Sing.
Boletellus russellii (Frost)Gilb.
Boletus bicolor Pk.
Boletus campestris Sm.&Thrs.
Boletus chrysenteron (=Xerocomus) (Bull.)Fr.
Boletus edulis Bull.:Fr.
Boletus edulis v. aurantioruber* Dick & Snell
Boletus fraternus Pk.
Boletus frostii Rus.
Boletus griseus Frost in Pk.
Boletus illudens (=Xerocomus) Pk.
Boletus inedulius (Murr.)Murr.
Boletus longicurvipes Snell&Sm.
Boletus miniato-pallescens Sm.&Thrs.
Boletus ornatipes Pk.
Boletus pallidus Frost
Boletus pulverulentus (=mutabilis) Opat.
Boletus roxanae (=Xerocomus) Frost
Boletus rubellus Krombh.
Boletus sensibilis Pk.
Boletus subglabripes Pk.
Boletus subvelutipes Pk.
Boletus variipes Pk.
Calostoma cinnabarina Desvaux
Cantharellus cibarius Fr.
Cantharellus cinnabarinus Schw.
Cantharellus ignicolor Pet.
Cantharellus minor Pk.
Cantharellus tabernensis Feib. & Cibula
Cantharellus tubaeformis (=infundibuliformis) Fr.
Ceratiomyxa fruticulosa (Muell.)Macbr.
Ceriporia tarda* (Berk.)Ginns
Chlorociboria aeruginascens (=Chlorosplenium) (Nyl.)Kan.:Ram.,Korf&Batra
Chlorosplenium chlora (Schw.)Mass.
Chlorosplenium versiforme* (Pers.)P.Karst.
Chromelosporium coerulescens (Bono.)Henneb.
Chromosera cyanophylla (Fr.) Redhead, Ammirati & Norvell
Claudopus byssisedus* (=Entoloma) (Pers.)Gillet
Clavicornia avellanea* Leathers & Smith
Clavulina cinerea (=Clavaria) (Fr.)Schroet.
Clavulina cristata (=Clavaria) (Fr.)Schroet.
Clavulinopsis fusiformis (=Ramariopsis) (Fr.)Corner
Clavulinopsis laeticolor (=pulchra) (Berk.&Curt.)Pet.
Climacodon septentrionale (=Steccherinum) (Fr.)Karst.
Clitocybe odora (Bull.:Fr.)Kum.
Clitocybe subconnexa Murr.
Clitocybula familia (Pk.)Sing.
Clitopilus prunulus (Scop.:Fr.)Kum.
Colybia subnuda (Ellis:Pk.)Gilliam
Coltricia cinnamomeus (Pers.)Murr.
Coltricia montagnei (Fr.)Murr.
Coltricia montagnei v greenei Fr.
Coltricia perennis (L.:Fr.)Murr.
Cordyceps ophioglossoides (Fr.)Link
Cortinarius albobolaceus (Pers.:Fr.)Fr.
Cortinarius corrugatus Pk.
Cortinarius iodes Berk.&Curt.
Cortinarius luteus Peck
Cortinarius sanguineus (Wulf.:Fr.)S.F.Gray
Cortinarius sericeocybe?
Cortinarius sp.

Cortinarius violaceus (Fr.)S.F.Gray
 Craterellus cinereus* (Pers.)Quél.)
 Craterellus cornucopioides (Fr.)Pers.
 Craterellus fallax Sm.
 Crepidotus applanatus (Pers.)Kum.
 Crepidotus crocophyllus (Berk.)Sacc.
 Crepidotus malachius (Berk.&Curt.)Sacc.
 Crucibulum laeve (=vulgare) (Bull.:DC.)Kambly
 Cyathus stercoreus* (Schwein.)De Toni
 Cyptotrama asprata (=chrysopeplum, Coll lacunosa)
 (Berk.)Redh.&Ginns
 Cystoderma granulatum (Batsch:Fr.)Fayod
 Dacrymyces palmatus (Schw.)Bres.
 Dacryopinax spathularia (Schw.)Martin
 Daedalea quercina L.:Fr.
 Daedaleopsis confragosa (=Trametes rubescens) (Bolt.:Fr.)Schroet.
 Daldinia concentrica (Bolt.:Fr.)Ces.&DeNot.
 Elaphomyces granulatus Fr.
 Entoloma grayanum (Pk.)Sacc.
 Entoloma murraini (=Nolanea) (Berk.&Curt.)Sacc.
 Entoloma strictius (Pk.)Sacc.
 Fistulina hepatica Schff.:Fr.
 Fistulina radicata* Schwein.
 Fomes fomentarius (L.:Fr.)Kickx
 Fomitopsis spraguei (=Tyromyces) (Berk.&Curt.)Gilbn.&Ryv.
 Galiella rufa (Schw.)Nannf.&Korf
 Ganoderma applanatum (Pers.)Pat.
 Ganoderma tsugae Murr.
 Gloeophyllum sepiarium (=Lenzites) (Wulf.:Fr.)Karst.
 Gloeoporus dichrous (=Caloporus) (Fr.)Bres.
 Gomphus floccosus (Schw.)Sing.
 Gymnopilus picreus* (Pers.)P.Karst.
 Gymnopilus sapineus? (Fr.)Maire
 Gymnopus subnudus* (Ellis ex Peck)Halling
 Gyrodon merulioides (=Boletinellus) (Schw.)Sing.
 Gyroporus castaneus (Bull.:Fr.)Quel.
 Gyroporus cyanescens (=Boletus) (Bull.:Fr.)Quel.
 Hapalopilus rutilans (=nidulans) (Pers.:Fr.)Karst.
 Helminthosphaeria clavariarum (Tul.)Fkl.
 Helotium epiphyllum* (Pers.)Fr.
 Helvella elastica Bull.:Fr.
 Helvella lactea* Boud.
 Helvella queletii* Bres.
 Hericium americanum* Ginns
 Hormomyces aurantiacus Bonord.
 Hydnellum aurantiacum (Batsch:Fr.)Karst.
 Hydnellum caeruleum* Hornem.
 Hydnellum scrobiculatum (Fr.)Karst.
 Hydnellum scrobiculatum v zonatum (Batsch:Fr.)Harr.
 Hydnochaete olivacea (=Fomes, Daedalea) (Schw.)Bank.
 Hydnum repandum (=Dentinum) L.:Fr.
 Hydnum repandum v albidum* (Peck)Nikol.
 Hydnum umbilicatum Pk.
 Hygrophoropsis aurantiaca (=Clitocybe, Cantharellus) (Wulf.:Fr.)Maire
 Hygrophorus cantharellus (=lepidus) (Schw.)Fr.
 Hygrophorus laetus (Fr.)Fr.
 Hygrophorus marginatus v concolor Sing.
 Hygrophorus marginatus v marginatus (=marginatus) Pk.
 Hygrophorus miniatus (=reidii) (Fr.)Fr.
 Hygrophorus virgineus (Fr.)Fr.
 Hymenochaete tabacina (Sow.:Fr.)Lev.
 Hypomyces aurantius (Pers.:Fr.)Tul.
 Hypomyces chrysospermus Tul.
 Hypomyces hyalinus (Schw.:Fr.)Tul.
 Hypomyces lactiflorum (Schw.:Fr.)Tul.
 Hypomyces lateritius (Fr.)Tul.
 Hypomyces leoticola* Rogerson & Samuels
 Hypoxylon fragiforme (Pers.:Fr.)Kickx
 Inocybe calamistrata (Fr.)Gill.
 Inocybe fastigiata (Schff.:Fr.)Quel.
 Inocybe sororia Kauff.
 Irpex lacteus (=Pol. tulipiferus) (Fr.)Fr.
 Laccaria amethystea (=amethystina) (Bull.:Mer.)Murr.
 Laccaria laccata (Scop.:Fr.)Berk.&Br.
 Laccaria ochropurpurea (Berk.)Pk.
 Laccaria ohiensis (Mont.) Singer
 Laccaria tortilis* (Bolton)Cooke
 Lactarius aquifluus (=helvus) Pk.
 Lactarius atroviridis Pk.
 Lactarius camphoratus (Fr.)Fr.
 Lactarius chrysorrhoeus Fr.
 Lactarius corrugis Pk.
 Lactarius croceus Burl.
 Lactarius deceptivus Pk.
 Lactarius frustratus Hes.&Sm.
 Lactarius gerardii Pk.
 Lactarius glaucescens (Crossl.)Pears.
 Lactarius hygrophoroides Berk.&Curt.
 Lactarius lignyotus Fr. in Lindbl.
 Lactarius oculatus (Pk.)Burl.
 Lactarius peckii (Burl.)Sacc.
 Lactarius piperatus (L.:Fr.)Pers.
 Lactarius quietus v incanus Hes.&Sm.
 Lactarius vellereus (Fr.)Fr.
 Lactarius vinaceorufescens Sm.
 Lactarius volemus (Fr.)Fr.
 Lactarius zonarius* (Bull.) Fr.
 Laetiporus sulphureus (Bull.:Fr.)Murr.
 Leccinum atrostopitatum Sm.,Thrs.&Watl.
 Leccinum rugosiceps (Pk.)Sing.
 Leccinum scabrum (Bull.:Fr.)S.F.Gray
 Leotia lubrica Pers.
 Lepiota atrodisca* Zeller
 Lepiota procera (Scop.:Fr.)S.F.Gray
 Lepiota rubrotincta Pk.
 Leptonia cf. incana
 Leptonia serrulata (Pers.) P. Kumm.
 Leptonia undulatella* Peck
 Lycoperdon marginatum Vitt.
 Lycoperdon perlatum (=gemmatum) Pers.
 Lycoperdon pyriforme Schff.:Pers.
 Marasmiellus albocorticis* Secr. ex Singer
 Marasmiellus nigripes (Schw.)Sing.
 Marasmius capillaris Morg.
 Marasmius pyrrocephalus Berk.
 Marasmius rotula (Scop.:Fr.)Fr.
 Marasmius siccus (Schw.)Fr.
 Melanoleuca alboflavida (Pk.)Murr.
 Meripilus sumstinei (=giganteus) (Murr.)Larsen in Lombard
 Mutinus ravenelii (Berk.&Curt.)Fischer
 Mycena cf. corticola
 Mycena haematopus (=haematopoda) (Pers.:Fr.)Kum.
 Mycena leaiana (Berk.)Sacc.
 Mycena sp.

Mycorrhaphium adustum (=Steccherinum) (Schw.)M.Gees.
 Naematoloma fasciculare (=Hypholoma) (Huds.:Fr.)Kum.
 Oligoporus tephroleucus (Fr.)Gilbn.&Ryv.
 Omphalotus olearius (=illudens) (DC.:Fr.)Sing.
 Otidea onotica (Pers.) Fuckel
 Oudemansiella radicata (=Xerula furfuracea)
 (Pk.)Redh.,Ginns,&Shoem.
 Oxyporus populinus (=Fomes connatus) (Schum.:Fr.)Donk
 Panaeolina foenicis (=Panaeolus,Psathyrella) (Pers.:Fr.)Maire
 Panaeolus semiovatus* (Sowerby)Lundell & Nannf.
 Panellus stipticus (Bull.:Fr.)Karst.
 Papulaspora or Papilionospora sp. ? spelling?
 Paxillus atrotomentosus (Batsch:Fr.)Fr.
 Paxillus involutus (Batsch:Fr.)Fr.
 Perenniporia ohiensis* (Berk.)Ryvarden
 Peziza badiocconfusa (=phylogena) Korf
 Phanerochaete chrysorhiza (=Mycoacia fragilissima) (Torr.)Gilb.
 Phellinus ferreus* (Pers.) Bourdot & Galzin
 Phellinus sp.
 Phellodon alboniger (Peck) Banker
 Phellodon niger (Fr.)Karst.
 Phellodon tomentosus (=Hydnum cyathiforme,tomentosum)
 (L.)Banker
 Pholiota albocrenulata (Pk.)Sacc.
 Pholiota squamosa Fr.
 Pholiota squarrosa (Muell.:Fr.)Kum.
 Phylloporus rhodoxanthus (=pelletieri,Paxillus paradoxus)
 (Schw.)Bres.
 Phyllotopsis nidulans (=Pleurotus) (Pers.:Fr.)Sing.
 Piptoporus betulinus (=Polyporus) (Bull.:Fr.)Karst.
 Pleurocolla sp.
 Pleurotus levis* (Berk. & Curt.)Singer
 Pleurotus ostreatus (=columbinus) (Jacq.:Fr.)Kum.
 Plicaturopsis crispa (=Trogia,Plicatura faginea) (Fr.)Reid
 Pluteus admirabilis (Pk.)Pk.
 Pluteus cervinus (Schff.)Kum.
 Polyporus elegans Bull.:Fr.
 Polyporus mori (=Favolus, Pol. alveolaris) Pollini:Fr.
 Polyporus varius (=elegans) Pers.:Fr.
 Psathyrella delineata (Pk.)Sm.
 Psathyrella rugocephala (=Hypholoma) (Atk.)Sm.
 Pseudohydnum gelatinosum (=Tremellodendron,crystallinum)
 (Scop.:Fr.)Karst.
 Psilocybe caerulipes (Pk.)Sacc.
 Pycnoporus cinnabarinus (=Trametes) (Jacq.:Fr.)Karst.
 Ramaria aurea (Schff.:Fr.)Quel.
 Ramaria cf. apiculata
 Ramaria concolor? (*=Ramaria stricta v concolor) (Corner) R.H.
 Petersen
 Ramaria formosa (Pers.:Fr.)Quel.
 Ramaria sp.
 Ramaria stricta (Pers.:Fr.)Quel.
 Rhizopogon aff. parasiticus*
 Rhizopogon rubescens*
 Rhodotorula sp. F.C.Harrison
 Rickenella fibula (=Gerronema,Omphalia,Myceia) (Bull.:Fr.)Raith.
 Russula aeruginea (=graminicolor) Lindbl.
 Russula albonigra (=sordida,subsordida) (Krombh.)Fr.
 Russula compacta Frost
 Russula crustosa Pk.
 Russula heterophylla Fr.
 Russula laurocerasi Romagn.

Russula mariae (=alach,granulosula,subcyanox) Pk.
 Russula mutabilis Murr.
 Russula nigricans Fr.
 Russula pseudolepida (=praerubra?) Sing.
 Russula pusilla (=praepalus,operta?,pinophila?) Pk.
 Russula rubescens (=kauffmaniana,subobscura?) Beards.
 Russula variata (=simulans) Banning&Pk.
 Sarcodon imbricatum (=Hydnum imbricatum) (L.:Fr.)Karst.
 Sarcoscypha occidentalis (Sow.)Sacc.
 Schizophyllum commune Fr.
 Scleroderma areolatum (=lycoperdoides) Ehrenb.
 Scleroderma cepa (Vaill.)Pers.
 Scleroderma citrinum (=aurantium) Pers.
 Scleroderma verrucosum* (Bull.) Pers.
 Sebacina incrustans (Pers.) Tul. & C. Tul.
 Simocybe centuncula (=Naucoria) (Fr.)Karst.
 Spathularia velutipes (=Spathulariopsis) Cke.&Farlow
 Stemonitis fusca Roth
 Stereum complicatum (Fr.)Fr.
 Stereum hirsutum (Fr.)S.F.Gray
 Stereum striatum (=sericeum) (Fr.)Fr.
 Strobilomyces confusus Sing.
 Strobilomyces floccopus (=strobilaceus) (Fr.)Karst.
 Stropharia squarrosa*
 Suillus americanus (Pk.)Snell
 Suillus granulatus (L.:Fr.)Kuntze
 Tapinella sp. E.-J.Gilbert
 Tatraea macrospora (Pers.) Fuckel
 Tectella patellaris (Fr.)Murr.
 Thelephora terrestris Fr.
 Thelephora vialis Schw.
 Trametes conchifer (=Poronidulus) (Schw.:Fr.)Pilat
 Trametes elegans (=Lenzites elegans) (Sprengel:Fr.)Fr.
 Trametes hirsuta (=Coriolus) (Wulf.:Fr.)Pilat
 Trametes versicolor (=Coriolus) (L.:Fr.)Pilat
 Tremella foliacea Pers.:Fr.
 Tremella mesenterica (=lutescens?) Retz.:Hook.
 Tremellodendron pallidum (=schweinitzii) (Schw.)Burt.
 Trichaptum bifforme (=pargamenum) (Fr.)Ryv.
 Trichaptum laricinum* (P.Karst.)Ryvarden
 Trichoderma sp.
 Tricholomopsis decora (Fr.)Sing.
 Tricholomopsis platyphylla (Fr.)Sing.
 Tricholomopsis sulphureoides (=Pleurotus) (Pk.)Sing.
 Tubifera ferruginosa (Batsch)Gmel.
 Tylopilus chromapes (=Leccinum) (Frost)Sm.&Thrs.
 Tylopilus eximius (Pk.)Sing.
 Tylopilus felleus (Bull.:Fr.)Karst.
 Tyromyces chioneus (=albellus) (Fr.)Karst.
 Xanthoconium affine (=Boletus) (Pk.)Sing.
 Xanthoconium affine v maculosum (=Boletus) (Pk.)Sing.
 Xanthoconium separans (=Boletus) (Pk.)Halling&Both
 Xerocomus parasiticus (=Boletus) (Bull.:Fr.)Quel.
 Xeromphalina campanella (=Omphalina) (Fr.)Kuehn.&Maire
 Xylaria polymorpha (Pers.:Mer.)Grev.
 Xylobolus frustulatus (=Stereum frustulosum) (Fr.)Boid.

Preliminary Checklist, as usual -
 please send corrections to
 ursula.hoffmann@lehman.cuny.edu
 9/6/2007