

Rogerson Foray, August 21 - 24, 2008

Identifiers: Leon Shernoff; Bill Bakaitis, Roz Lowen, Connie Borodenko, John Plischke III, Sandy Sheine, Noah Siegel, Dianna Smith, Terry Stoleson, Rod Tulloss, Bill Yule, et alii

Recorder: Ursula Hoffmann 315 species to date; 57 new taxa

Abortiporus biennis (Bull.)Singer	Amanita rubescens Pers.	Boletus longicurvipes Snell&Sm.
Agaricus placomyces Pk.	Amanita russuloides (=S1) (Britzelm.)Sacc.	Boletus melleoluteus Snell,Dick,Hesler
Agaricus subrufescens Ellis & Everh.	Amanita sp. on dryer	Boletus miniato-olivaceus Frost
Amanita N28	Amanita spreata (Pk.)Sacc.	Boletus morrisii Pk.
Amanita N34 (=NE34)	Amanita subcokeri not in IF	Boletus nobilis Pk.
Amanita aestivalis (Murr.)Murr.	Amanita submaculata (=NJ18) Peck	Boletus pallidus Frost
Amanita atkinsoniana Coker	Amanita vaginata (Bull.:Fr.)Vitt.	Boletus pseudobicolor not in IF
Amanita bannningiana (=NJ16) Kuo	Amanita volvata (Pk.)Martin	Boletus roxanae (=Xerocomus) Frost
Amanita bisporigera G.F.Atk.	Amanita wellsii (Murr.)Sacc.	Boletus rubropunctus Pk.
Amanita borealisorora (=V3)	Asterophora lycoperdoides (=Nyctalis asterophora) Ditmar:S.F.Gray	Boletus spadiceus (=Xerocomus) (Fr.)Quel.
Amanita brunnescens Atk.	Austroboletus gracilis (=Tylophilus,Porphyrillus) (Pk.)Wolfe	Boletus subcaerulescens Dick & Snell
Amanita canescens Jenkins	Boletellus chrysenteroides (=Boletus) (Snell)Sing.	Boletus subvelutipes Pk.
Amanita cf violettae	Boletellus russellii (Frost)Gilb.	Bothia castanellus (=Boletinus,Boletus,,Xerocomus) (Pk.)Smith & Thiers
Amanita crenulata Pk.	Boletinellus merulioides (=Gyrodon) (Schw.)Sing.	Calostoma cinnabarina Desvaux
Amanita cylindrispora Beardsley	Boletus auripes Pk.	Calostoma cinnabarinum Corda
Amanita elliptosperma G.F.Atk.	Boletus bicolor Pk.	Cantharellus cibarius Fr.
Amanita elongata Pk.	Boletus caespitosus Pk.	Cantharellus cinnabarinus Schw.
Amanita farinosa Schw.	Boletus chrysenteron Bull.	Cantharellus ignicolor Pet.
Amanita flavoconia Atk.	Boletus discolor (Quél.)Boud.	Cantharellus minor Pk.
Amanita flavorubens (B.&Mont.)Sacc.	Boletus edulis Bull.:Fr.	Cantharellus tubaeformis (=infundibuliformis) Fr.
Amanita fulva (Schaeff.)Fr.	Boletus edulis v. aurantioruber Dick&Snell	Chlorociboria aeruginascens (=Chlorosplenium) (Nyl.)Kan.:Ram.,Korf&Batra
Amanita jacksonii (=caesarea v americana, hemibapha) Pomerleau	Boletus fraternus Peck	Chromosera cyanophylla (Fr.) Redhead, Ammirati &
Amanita magniradix not in IF	Boletus frostii Rus.	Clavaria pulchra Pk.
Amanita multisquamosa Pk.	Boletus hortonii (=subglabripes v corrugis) (Pk.)Sm.&Thrs.	Clavaria rubicundula Leathers
Amanita muscaria v formosa (Pers.:Fr.)Bertil.	Boletus huronensis Sm.&Thrs.	Clavicornia pyxidata (Pers.:Fr.)Doty
Amanita onusta (Howe)Sacc.	Boletus inedulis (Murr.)Murr.	Clavulina cristata (=Clavaria) (Fr.)Schroet.
Amanita pachysperma G.F.Atk.	Boletus innixus Frost	
Amanita pseudovolvata (=NJ41) nom. prov.Tulloss		

Clavulina zollingeri Lev.
Clavulinopsis fusiformis (=Ramariopsis) (Fr.)Corner
Climacodon septentrionale (=Steccherinum) (Fr.)Karst.
Clitocybe sp.
Clitopilus prunulus (Scop.:Fr.)Kum.
Collybia dryophila (Bull.:Fr.)Kum.
Coltricia cinnamomeus (Pers.)Murr.
Coprinus atramentarius (Bull.:Fr.)Fr.
Cordyceps ophioglossoides (Fr.)Link
Cortinarius alboviolaceus (Pers.:Fr.)Fr.
Cortinarius bolaris (Pers.:Fr.)Fr.
Cortinarius cf luteus
Cortinarius corrugatus Pk.
Cortinarius iodes Berk.&Curt.
Cortinarius luteus Peck
Cortinarius semisanguineus (Fr.)Gill.
Cortinarius squamulosus Pk.
Cortinarius subpurpurascens (Batsch:)Fr.
Cortinarius violaceus (Fr.)S.F.Gray
Cortinarius whitei (=limonius) Pk.
Craterellus fallax Sm.
Crepidotus applanatus (Pers.)Kum.
Crepidotus mollis (Fr.)Staude
Crucibulum laeve (=vulgare) (Bull.:DC.)Kambly
Cyathus striatus (Huds.)Willd.
Dacrymyces palmatus (Schw.)Bres.
Daedalea quercina L.:Fr.
Daedaleopsis confragosa (=Trametes rubescens) (Bolt.:Fr.)Schroet.
Daedaleopsis septentrionalis (Karst.)Niemelä
Daldinia concentrica (Bolt.:Fr.)Ces.&DeNot.
Elaphomyces granulatus Fr.
Entoloma murraini (=Nolanea) (Berk.&Curt.)Sacc.
Entoloma porphyrophaeum (=E. violaceum, Leptonia) (Fr.)Karst.
Entoloma sinuatum (=lividum) (Bull.:Fr.)Kum.
Entoloma strictius (Pk.)Sacc.
Fomitopsis spraguei (=Tyromyces) (Berk.&Curt.)Gilbn.&Ryv.
Fuligo septica (L.)Wigg.
Ganoderma applanatum (Pers.)Pat.
Ganoderma tsugae Murr.
Geoglossum difforme Fr.
Gloeophyllum sepiarium (=Lenzites) (Wulf.:Fr.)Karst.
Gloeoporus dichrous (=Caloporus) (Fr.)Bres.
Gomphidius smithii Singer
Gomphus floccosus (Schw.)Sing.
Gomphus kauffmanii (A.H.Sm.)Corner
Gymnopilus luteus (Peck)Hesler
Gymnopilus penetrans (=Flammula) (Fr.:Fr.)Murr.
Gyroporus castaneus (Bull.:Fr.)Quel.
Gyroporus cyanescens (=Boletus) (Bull.:Fr.)Quel.
Helminthosphaeria clavariarum (Tul.)Fkl.
Hydnellum scrobiculatum (Fr.)Karst.
Hydnum repandum (=Dentinum) L.:Fr.
Hydnum repandum v albidum (Peck)Nikol.
Hydnum umbilicatum Pk.
Hygrophorus cantharellus (=lepidus) (Schw.)Fr.
Hygrophorus conicus (=pseudoconicus, nigrescens) (Scop.:Fr.)Kum.
Hygrophorus laetus (Fr.)Fr.
Hygrophorus marginatus Pk. ss Kuehn.
Hygrophorus marginatus v marginatus (=marginatus) Pk.
Hygrophorus marginatus v olivaceus Sm.&Hes.
Hygrophorus miniatus (=reidii) (Fr.)Fr.
Hygrophorus pallidus Pk.
Hymenochaete tabacina (Sow.:Fr.)Lev.
Hypocrea citrina (Pers.:Fr.)Fr.
Hypocrea lateritium Fr.
Hypocrea latizonata Pk.
Hypomyces armeniacus Tul.
Hypomyces aurantius (Pers.:Fr.)Tul.
Hypomyces chrysospermus Tul.
Hypomyces hyalinus (Schw.:Fr.)Tul.
Hypomyces lactifluorum (Schw.:Fr.)Tul.
Hypomyces luteovirens (Fr.)Tul.
Hypomyces stephanomatis (=Stephanoma strigosum Wallroth) Rogerson & Samuels
Hypoxyton fragiforme (Pers.:Fr.)Kickx
Laccaria amethystea (=amethystina) (Bull.:Mer.)Murr.
Laccaria laccata (Scop.:Fr.)Berk.&Br.
Laccaria ochropurpurea (Berk.)Pk.
Lactarius aquifluus (=helvus) Pk.
Lactarius argillaceifolius Hes.&Sm.
Lactarius atroviridis Pk.
Lactarius camphoratus (Fr.)Fr.
Lactarius chrysorheus Fr.
Lactarius croceus Burl.
Lactarius deceptivus Pk.
Lactarius gerardii Pk.
Lactarius glaucescens (Crossl.)Pears.
Lactarius hepaticus (=nitidus Burl.) Plowr.
Lactarius hygrophoroides Berk. & Curt.
Lactarius lignyotus Fr. in Lindbl.
Lactarius mucidus Burl.
Lactarius oculatus (Pk.)Burl.
Lactarius psammicola A.H. Sm.
Lactarius quietus Fr.
Lactarius subdulcis (Fr.)S.F.Gray
Lactarius subpurpureus Pk.
Lactarius subpurpureus Pk.
Lactarius subvellereus Pk.
Lactarius subvellereus v subdistans (Pk.)Sm. & Hesler
Lactarius vinaceorufescens Sm.
Lactarius volemus (Fr.)Fr.
Laetiporus cincinnatus (=L.Sulph. v semialbinus) (Morgan) Burds., Banik & TJVolk
Laetiporus sulphureus (Bull.:Fr.)Murr.

Leccinum atrostipitatum Sm.,Thrs.&Watl.
Leccinum aurantiacum (=rufum) (Bull.:St.Am.)S.F.Gray
Leccinum rubropunctum (Sm.&Thrs.)
Leccinum scabrum (Bull.:Fr.)S.F.Gray
Leccinum snellii Sm.,Thrs.&Watl.
Leccinum variobrunneum Dick & Snell
Lentinellus cochleatus (Pers.:Fr.)Karst.
Lenzites betulina (=Trametes) (Fr.)Fr.
Leotia lubrica Pers.
Lepiota clypeolaria (Bull.:Fr.)Kummer
Lepiota procera (Scop.:Fr.)S.F.Gray
Lycoperdon echinatum Pers.:Pers.
Lycoperdon marginatum Vitt.
Lycoperdon pyriforme Schff.:Pers.
Marasmius nigrodiscus (Pk.)Halling
Marasmius strictipes (=Collybia) (Pk.)Sing.
Maxlitus hurdi Naomi
Megacollybia platyphylla (=Collybia,Oudemansiella) (Pers.)Kotl. & Pouzar
Meripilus sumstinei (=giganteus) (Murr.)Larsen in Lombard
Mutinus caninus (Huds.:Pers.)Fr.
Mycena haematopus (=haematopoda) (Pers.:Fr.)Kum.
Mycena inclinata (=galericulata v calopus) (Fr.)Quel.
Mycena leaiana (Berk.)Sacc.
Mycena pura (=pseudopura) (Pers.:Fr.)Kum.
Naematoloma fasciculare (=Hypholoma) (Huds.:Fr.)Kum.
Nectria episphaeria (Tode:Fr.)Fr.
Neonectria coccinea v *faginata* (Pers.)Rossman & Samuels
Oligoporus fragilis (=Tyromyces) (Fr.)Gilbn.&Ryv.
Omphalotus olearius (=illudens) (DC.:Fr.)Sing.
Otidea onotica (Pers.) Fuckel
Oudemansiella radicata (=Xerula furfuracea) (Pk.)Redh.,Ginns,&Shoem.
Paxillus atrotomentosus (Batsch:Fr.)Fr.
Paxillus involutus (Batsch:Fr.)Fr.
Perenniporia ohiensis (Berk.)Ryvarden
Peziza petersii Berk.
Phaeocalicium polyporaeum (=Mycocalicium) (Nyl.)Tibell
Phaeolus schweinitzii (=Polyporus) (Fr.)Pat.
Phallus ravenelii Berk.&Curt.
Phanerochaete chrysorhiza (=Mycoacia fragilissima) (Torr.)Gilb.
Phellinus gilvus (Schw.)Pat.
Pholiota albocrenulata (Pk.)Sacc.
Pholiota squamosa Fr.
Pholiota squarrosa (Muell.:Fr.)Kum.
Pholiota squarosoides (Pk.)Sacc.
Phylloporus rhodoxanthus (=pelletieri,Paxillus paradoxus) (Schw.)Bres.
Pleurotus levis (Berk.&Curt.)Singer
Pleurotus ostreatus (=columbinus) (Jacq.:Fr.)Kum.
Polyporus varius Pers.:Fr.
Psathyrella delineata (Pk.)Sm.
Psathyrella velutina (=Lacrymaria) (Pers.:Fr.)Sing.
Pseudoboletus parasiticus (=Boletus) (Bull.:Fr.)Quel.
Pseudohydnum gelatinosum (=Tremellodendron,crystallinum) (Scop.:Fr.)Karst.
Pulveroboletus ravenelii (Berk.&Curt.)Murr.
Ramania cf *araiospora*
Ramaria botrytis (Pers.:Fr.)Ricken
Ramaria cf *formosa*
Ramaria cf *magnipes*
Ramaria cf *variospora*
Ramaria fumosiavellanea Marr & Stuntz
Ramaria stricta (Pers.:Fr.)Quel.
Retiboletus griseus (=Boletus) Frost in Pk.
Retiboletus ornatipes (=Boletus) Pk.
Russula claroflava (=flava) Grove
Russula compacta Frost
Russula crustosa Pk.
Russula dissimulans Shaffer
Russula flavida Frost
Russula laurocerasi Romagn.
Russula mariae (=alach,granulosula,subcyanox) Pk.
Russula melliolens Quel.
Russula mutabilis Murr.
Russula pseudolepida (=praerubra?) Sing.
Russula rubescens (=kauffmaniana,subobscura?) Beards.
Russula sericeonitens Kauff.
Russula variata (=simulans) Banning&Pk.
Russula vinacea (=krombholzii,atropurpurea) Burl.
Russula vinosa (=obscura) Lindblad
Schizophyllum commune Fr.
Scleroderma cepa (Vaill.)Pers.
Scleroderma citrinum (=aurantium) Pers.
Scleroderma michiganensis Guzmán
Scutellinia scutellata (L.:St.Am.)Lamb.
Sepedonium chrysospermum (Hypomyces imperf.) (Bull.)Fr.
Simocybe centuncula (=Naucoria) (Fr.)Karst.
Sphaerosporella brunnea (Alb.&Schwein.)Svrcek & Kubicka
Stereum complicatum (Fr.)Fr.
Stereum ostrea (=fasciatum,lobatum) (Fr.)Fr.
Stereum sericeum (=striatum) (Schwein.) Sacc.
Strobilomyces confusus Sing.
Stropharia rugosoannulata Farlow:Murr.
Stropharia squarrosa (Vahl)Morgan
Suillus americanus (Pk.)Snell
Suillus granulatus (L.:Fr.)Kuntze
Suillus pictus (=spraguei) (Pk)Kuntze

Synchronium decipiens Farl.
 Syzygites megalocarpus Ehrenb.:Fr.
 Thelephora vialis Schw.
 Trametes conchifer (=Poronidulus)
 (Schw.:Fr.)Pilat
 Trametes versicolor (=Coriolus) (L.:Fr.)Pilat
 Tremellodendron pallidum (=schweinitzii)
 (Schw.)Burt.
 Trichoglossum hirsutum (Pers.:Fr.)Boud.
 Trichoglossum walteri (Berk.)Durand
 Tricholoma aurantium (Schff.:Fr.)Ricken
 Tricholoma fumosiluteum Pk.
 Tricholomopsis platyphylla (Fr.)Sing.
 Tricholomopsis rutilans (Fr.)Sing.
 Tubifera farinosa not in IF
 Tubifera ferruginosa (Batsch)Gmel.
 Tylopilus alboater (Schwein.)Murrill
 Tylopilus badiceps (Pk.)Sm.&Thrs.
 Tylopilus chromapes (=Leccinum)
 (Frost)Sm.&Thrs.
 Tylopilus eximius (Pk.)Sing.
 Tylopilus felleus (Bull.:Fr.)Karst.
 Tylopilus ferrugineus (Frost)Sing.
 Tylopilus intermedius Sm. & Thiers
 Tylopilus plumbeoviolaceus (Snell)Snell
 Tylopilus variobrunneus Roody, A.R. Bessette &
 Bessett
 Tylopilus violatinctus Baroni & Both
 Tyromyces chioneus (=albellus) (Fr.)Karst.
 Xanthoconium affine v affine (=Boletus)
 (Pk.)Sing.
 Xanthoconium affine v maculosum (=Boletus)
 (Pk.)Sing.
 Xanthoconium affine v reticulatum
 (A.H.Sm.)Wolfe
 Xanthoconium separans (=Boletus)
 (Pk.)Halling&Both
 Xeromphalina campanella (=Omphalina)

(Fr.)Kuehn.&Maire
 Xeromphalina kauffmanii Sm.
 Xerula furfuracea Redhead,Ginns,Shoemaker
 Xylaria polymorpha (Pers.:Mer.)Grev.
 Xylobolus subpileatus (Berk. & Curt.)Boidin