

## Rogerson Foray, Aug 27 - 30, 2009

Identifiers: Leon Shernoff; Connie Borodenko, Roz Lowen, John Plischke III, Sandy & Jerry Sheine, Noah Siegel, Rod Tulloss, Bill Yule, et alii

Recorders & Display: Ursula Hoffmann; Paula DeSanto, Stacy, the Plischkes, Noah Siegel --- 341 taxa, 48 new

Abortiporus biennis (Bull.)Singer

Agaricus silvicola (Vitt.)Pk.

Albatrellus peckianus (Cooke) Niemelä

Amanita OH03

Amanita S3

Amanita abrupta Pk.

Amanita aestivalis (Murr.)Murr.

Amanita atkinsoniana Coker

Amanita banningiana (=NJ16) Kuo

Amanita bisporigera Atk.

Amanita borealisorora (=V3)

Amanita brunnescens Atk.

Amanita ceciliae (=inaurata) (Berk.&Br.)Bas

Amanita cf. dolichapna nom. prov.

Amanita crenulata Pk.

Amanita cylindrispora Beardsley

Amanita elongata Pk.

Amanita flavoconia Atk.

Amanita flavorubens (B.&Mont.)Sacc.

Amanita fulva (Schaeff.)Fr.

Amanita homolae not in IF

Amanita multisquamosa Pk.

Amanita onusta (Howe)Sacc.

Amanita pachysperma G.F.Atk.

Amanita praecox (=NJ32) nom.prov.Lam.&Tulloss

Amanita pseudovolvata (=NJ41) nom. prov.Tulloss

Amanita recutita sensu Coker

Amanita rubescens Pers.

Amanita russuloides (=S1) (Pk.)Sacc.

Amanita solaniolens Stewart & Grund

Amanita sp.

Amanita spreta (Pk.)Sacc.

Amanita subcokeri not in IF

Amanita subsolitaria (Murrill)(Murrill)

Amanita vaginata complex

Amanita virginiana (Murr.)Murrill

Amanita volvata (Pk.)Martin

Apiosporina morbosa (=Dibotryon) (Schw.:Fr.)Arx

Arcyria cinerea (Bull.)Pers.

Arcyria denudata (L.)Wett.

Armillaria ostoyae Rom.

Artomyces pyxidatus (Clavicornia) (Pers.) Jülich

Ascotremella faginea (Pk.)Seaver

Asterophora lycoperdoides (=Nyctalis asterophora)  
Ditmar:S.F.Gray

Astraeus hygrometricus (Pers.)Morg.

Aureobasidium microstictum (Bubák) W.B. Cooke

Bjerkandera adusta (=Polyporus) (Willd.:Fr.)Karst.

Boletellus chrysenteroides (=Boletus) (Snell)Sing.

Boletinellus merulioides (=Gyrodon) (Schw.)Sing.

Boletus auripes Pk.

Boletus auriporus Pk.

Boletus badius Fries

Boletus bicolor Pk.

Boletus chrysenteron Bull.

Boletus discolor (Quél.)Boud.

Boletus frostii Rus.

Boletus gertrudiae Peck

Boletus hortonii (=subglabripes v corrugis)  
(Pk.)Sm.&Thrs.

Boletus huronensis Sm.&Thrs.

Boletus illudens (=Xerocomus) Pk.

Boletus inedulis (Murr.)Murr.

Boletus innixus Frost

Boletus nobilis Pk.

Boletus pallidus Frost

Boletus roseopurpureus Both,Bessette,Roody

Boletus roxanae (=Xerocomus) Frost

Boletus rubropunctus Pk.

Boletus sensibilis Pk.

Boletus sp.

Boletus subglabripes Pk.

Boletus subgraveolens A.H. Sm. & Thiers  
Boletus subtomentosus (=Xerocomus) (L.:Fr.)Quel.  
Boletus subvelutipes Pk.  
Boletus variipes Pk.  
Boletus vermicolosoides A.H. Sm. & Thiers  
Boletus vermiculosus Pk.  
Boletus viscidocorrugis Both  
Calostoma cinnabarinum Corda  
Cantharellus cibarius Fr.  
Cantharellus cinnabarinus Schw.  
Cantharellus ignicolor Pet.  
Cantharellus lateritius (Berk.)Sing.  
Cantharellus minor Pk.  
Cantharellus tabernensis Feib. & Cibula  
Cantharellus tubaeformis (=infundibuliformis) Fr.  
Cerreana unicolor (=Trametes, Daedalea cinerea)  
(Bull.:Fr.)Murr.  
Chlorociboria aeruginascens (=Chlorosplenium)  
(Nyl.)Kan.:Ram.,Korf&Batra  
Chrysomphalina chrysophylla (=Gerronema) (Fr.)  
Cléménçon  
Clavulina cristata (=Clavaria) (Fr.)Schroet.  
Clavulinopsis aurantiocinnabarina (Schwein.) Corner  
Climacodon septentrionale (=Steccherinum)  
(Fr.)Karst.  
Clitocybe gibba complex (=infundibuliformis)  
(Fr.)Kum.  
Clitocybe subconnexa Murr.  
Clitopilus prunulus (Scop.:Fr.)Kum.  
Coltricia cinnamomeus (Pers.)Murr.

Coltricia montagnei v greenei Fr.  
Conocybe lactea (Lange)Met.  
Coprinus micaceus (Bull.:Fr.)Fr.  
Cordyceps militaris (L.:St.Am.)Link  
Cortinarius alboviolaceus (Pers.:Fr.)Fr.  
Cortinarius bolaris (Pers.:Fr.)Fr.  
Cortinarius caperatus (=Roziites caperata) (Pers.) Fr.  
Cortinarius cinnabarinus Fr.  
Cortinarius iodes Berk.&Curt.  
Cortinarius luteus Peck  
Cortinarius sanguineus (Wulf.:Fr.)S.F.Gray  
Cortinarius sp.  
Cortinarius torvus (Fr.) Fr.  
Cortinarius violaceus (Fr.)S.F.Gray  
Craterellus fallax Sm.  
Crepidotus applanatus (Pers.)Kum.  
Crepidotus crocophyllus (Berk.)Sacc.  
Crepidotus malachus (Berk.&Curt.)Sacc.  
Crepidotus mollis (Fr.)Staude  
Crucibulum laeve (=vulgare) (Bull.:DC.)Kambly  
Cyptotrampa asprata (=chrysopeplum, Coll lacunosa)  
(Berk.)Redh.&Ginns  
Dacrymyces palmatus (Schw.)Bres.  
Daedalea quercina L.:Fr.  
Daedaleopsis confragosa (=Trametes rubescens)  
(Bolt.:Fr.)Schroet.  
Elaphocordyceps capitata  
(Holmsk.)G.H.Sung, J.M.Sung&Spa  
Elaphocordyceps ophioglossoides (=Cordyceps)  
(Ehrh.)G.H.Sung, J.M.Sung&Spata

Elaphomyces muricatus Fr.  
Entoloma luteum Pk.  
Entoloma murraini (=Nolanea) (Berk.&Curt.)Sacc.  
Entoloma strictius (Pk.)Sacc.  
Erysiphe cichoracearum Jacz.  
Erysiphe sordida (=Golovinomyces) L. Junell  
Fistulina hepatica Schff.:Fr.  
Fomes fomentarius (L.:Fr.)Kickx  
Fomitopsis pinicola (=Polyporus marginata)  
(Swartz:Fr.)Karst.  
Fomitopsis spraguei (=Tyromyces)  
(Berk.&Curt.)Gilbn.&Ryv.  
Fuligo septica (L.)Wigg.  
Galiella rufa (Schw.)Nannf.&Korf  
Ganoderma applanatum (Pers.)Pat.  
Ganoderma lucidum (=resinaceum) (Fr.)Karst.  
Ganoderma tsugae Murr.  
Geoglossum simile Pk.  
Gerronema chrysophyllum (=Chrysomphalina) (Fr.)  
Singer  
Gerronema strombodes (=Chrysomphalina) (Berk. &  
Mont.) Singer  
Gloeophyllum sepiarium (=Lenzites) (Wulf.:Fr.)Karst.  
Gomphus floccosus (Schw.)Sing.  
Gymnopus dichrous (=Collybia) (Berk. & M.A. Curtis)  
Halling  
Gymnopus subnudus Ellis ex Peck)Halling  
Gyroporus castaneus (Bull.:Fr.)Quel.  
Gyroporus cyanescens (=Boletus) (Bull.:Fr.)Quel.  
Helminthosphaeria clavariarum (Tul.)Fkl.

<i>Helvella macropus</i> (Pers.:Fr.)Karst.	<i>Hypomyces chrysospermus</i> Tul.	<i>Lactarius quietus</i> Fr.
<i>Helvella sulcata</i> Pers.:Fr.	<i>Hypomyces hyalinus</i> (Schw.:Fr.)Tul.	<i>Lactarius rufus</i> (Fr.)Fr.
<i>Hohenbuehelia angustata</i> (Berk.)Sing.	<i>Hypomyces lactifluorum</i> (Schw.:Fr.)Tul.	<i>Lactarius subpurpureus</i> Pk.
<i>Humaria hemisphaerica</i> (Wigg.:Fr.)Fkl.	<i>Hypomyces luteovirens</i> (Fr.)Tul.	<i>Lactarius subvellereus</i> Pk.
<i>Humidicutis marginata</i> (=Hygrophorus) (Peck) Singer	<i>Hypomyces microspermus</i> Rogerson & Samuels	<i>Lactarius subvellereus</i> v <i>subdistans</i> (Pk.)Sm. & Hesler
<i>Humidicutis marginata</i> v <i>olivacea</i> (=Hygrophorus) (A.H. Sm. & Hesler) Singer	<i>Hypoxylon fragiforme</i> (Pers.:Fr.)Kickx	<i>Lactarius vinaceorufescens</i> Sm.
<i>Hydnellum aurantiacum</i> (Batsch:Fr.)Karst.	<i>Inocybe calamistrata</i> (Fr.)Gill.	<i>Lactarius volemus</i> (Fr.)Fr.
<i>Hydnellum conrescens</i> (=zonatum) (Pers.) Banker	<i>Inocybe fastigiata</i> (Schff.:Fr.)Quel.	<i>Laetiporus cincinnatus</i> (=L.sulph. v <i>semialbinus</i> ) (Morgan) Burds., Banik & T.J.Volk
<i>Hydnellum scrobiculatum</i> (Fr.)Karst.	<i>Inonotus obliquus</i> (Pers.:Fr.)Pilát	<i>Laetiporus sulphureus</i> (Bull.:Fr.)Murr.
<i>Hydnellum spongiosipes</i> (Pk.)Pouz.	<i>Inonotus</i> sp.	<i>Leccinellum rugosiceps</i> (Pk.)Sing.
<i>Hydnobolites</i> sp.	<i>Laccaria ochropurpurea</i> (Berk.)Pk.	<i>Leccinum albellum</i> (Peck) Singer
<i>Hydnochaete olivacea</i> (=Fomes, <i>Daedalea</i> ) (Schw.)Bank.	<i>Laccaria ohiensis</i> (Mont.) Singer	<i>Leccinum holopus</i> (Rostk.)Watl.
<i>Hydnum repandum</i> (=Dentinum) L.:Fr.	<i>Laccaria striatula</i> (=Clitocybe) (Pk.)Pk.	<i>Leccinum scabrum</i> (Bull.:Fr.)S.F.Gray
<i>Hydnum repandum</i> v <i>albidum</i> (Peck)Nikol.	<i>Lactarius atroviridis</i> Pk.	<i>Leccinum snellii</i> Sm., Thrs. & Watl.
<i>Hydnum umbilicatum</i> Pk.	<i>Lactarius camphoratus</i> (Fr.)Fr.	<i>Lenzites betulina</i> (=Trametes) (Fr.)Fr.
<i>Hygrophorus conicus</i> (=pseudoconicus, nigrescens) (Scop.:Fr.)Kum.	<i>Lactarius chrysorheus</i> Fr.	<i>Leotia atrovirens</i> (=chlorocephala) Pers.
<i>Hygrophorus laetus</i> (Fr.)Fr.	<i>Lactarius corrugis</i> Pk.	<i>Leotia lubrica</i> Pers.
<i>Hygrophorus marginatus</i> v <i>concolor</i> (=Hygrophorus) Sing.	<i>Lactarius deceptivus</i> Pk.	<i>Lepiota procera</i> (Scop.:Fr.)S.F.Gray
<i>Hygrophorus miniatus</i> (=reidii) (Fr.)Fr.	<i>Lactarius gerardii</i> Pk.	<i>Lycoperdon perlatum</i> (=gemmatum) Pers.
<i>Hymenochaete corrugata</i> (Fr.) Lév.	<i>Lactarius glaucescens</i> (Crossl.)Pears.	<i>Marasmius capillaris</i> Morg.
<i>Hypocrea americana</i> (=citrina v. americana) (Canham)Overton	<i>Lactarius griseus</i> Pk.	<i>Marasmius olidus</i> Gilliam
<i>Hypocrea chromosperma</i> M.A. Curtis & Peck	<i>Lactarius hygrophoroides</i> Berk. & Curt.	<i>Marasmius pulcherripes</i> Peck
<i>Hypocrea lixii</i> Pat.	<i>Lactarius indigo</i> (Schw.)Fr.	<i>Marasmius rotula</i> (Scop.:Fr.)Fr.
<i>Hypocrea pulvinata</i> Fuckel	<i>Lactarius mucidus</i> Burl.	<i>Marasmius siccus</i> (Schw.)Fr.
<i>Hypomyces armeniacus</i> Tul.	<i>Lactarius oculatus</i> (Pk.)Burl.	<i>Megacollybia rodmanii</i> (=platyphyll, <i>Collybia</i> , <i>Oudemansiella</i> J.L. Mata, Aime & T.W. Henkel
	<i>Lactarius piperatus</i> (L.:Fr.)Pers.	<i>Meripilus sumstinei</i> (=giganteus) (Murr.)Larsen in
	<i>Lactarius piperatus</i> v <i>glaucescens</i> (Crossl.)Hes. & Sm.	
	<i>Lactarius purpureo-echinatus</i> Smith	

Lombard  
Metatrachia vesparium (Batsch)Nan.-Brem.  
Microglossum rufum (Schw.)Underw.  
Mutinus elegans (Mont.)Fischer  
Mycena leaiana (Berk.)Sacc.  
Mycetinis scorodonius (=Marasmius, alliatus) A.W.  
Wilson  
Nectria cinnabarina (Tode:Fr.)Fr.  
Omphalia unicolor Rick  
Oxyporus populinus (=Fomes connatus)  
(Schum.:Fr.)Donk  
Panellus stipticus (Bull.:Fr.)Karst.  
Paxillus atrotomentosus (Batsch:Fr.)Fr.  
Phaeocalicium polyporaem (=Mycocalicium)  
(Nyl.)Tibell  
Phaeohelotium epiphyllum (=Helotium) (Pers.)  
Hengstm.  
Phellinus gilvus (Schw.)Pat.  
Phellodon niger (Fr.)Karst.  
Phellodon niger v alboniger (Peck) K.A. Harrison  
Pholiota squarrosoides (Pk.)Sacc.  
Phylloporus leucomycelinus (Singer & M.H. Ivory)  
Singer  
Phylloporus rhodoxanthus (=pelletieri,Paxillus  
paradoxus) (Schw.)Bres.  
Pleurocolla compressa (Ellis&Ev.)Diehl  
Pleurocybella porrigens (=Phyllotus,Pleurotus)  
(Pers.:Fr.)Sing.  
Pleurotus pulmonarius (Fr.) Quél.  
Plicaturopsis crispa (=Trogia,Plicatura faginea)  
(Fr.)Reid

Pluteus cervinus (Schff.)Kum.  
Podosphaera fusca U. Braun & Shishkoff  
Polyporus alveolaris (=Favolus, Pol. mori)  
Bondardsev & Singer  
Polyporus squamosus Huds.:Fr.  
Polyporus varius Pers.:Fr.  
Porpoloma umbrosum (A.H. Sm. & M.B. Walters)  
Sing  
Pseudoboletus parasiticus (=Boletus) (Bull.:Fr.)Quel.  
Pseudocolus fusiformis (E. Fisch.) Lloyd  
Pseudohydnum gelatinosum  
(=Tremellodendron,crystallinum) (Scop.:Fr.)Karst.  
Puccinia hemerocallidis Thüm.  
Pulveroboletus ravenellii (Berk.&Curt.)Murr.  
Ramaria aurea (Schff.:Fr.)Quel.  
Ramaria formosa (Pers.:Fr.)Quel.  
Ramaria sp.  
Ramaria stricta (Pers.:Fr.)Quel.  
Ramariopsis kunzei (Fr.)Donk  
Retiboletus griseus (=Boletus) Frost in Pk.  
Retiboletus ornatipes (=Boletus) Pk.  
Russula albonigra (=sordida,subsordida)  
(Krombh.)Fr.  
Russula cf brunneola  
Russula compacta Frost  
Russula crustosa Pk.  
Russula decolorans Fr.  
Russula dissimulans Shaffer  
Russula flavida Frost  
Russula laurocerasi Romagn.

Russula luteispora Murrill  
Russula mariae (=alach,granulosula,subcyanox) Pk.  
Russula parvovirescens Buyck, D. Mitch. & Parrent  
Russula pseudolepida (=praerubra?) Sing.  
Russula purpurata Crawsh.  
Russula sp.  
Russula subgraminicolor Murr.  
Russula subpunctata (=persicina v intactior) Kauff.  
Russula variata (=simulans) Banning&Pk.  
Russula vinacea (=krombholzii,atropurpurea) Burl.  
Russula virescens (Schff.)Fr.  
Sarcodon piperatus (Coker ex Maas Geest.)Harrison  
Sarcodon scabrosum (=Hydnum) (Fr.)Karst.  
Sarcoscypha occidentalis (Sow.)Sacc.  
Schizophyllum commune Fr.  
Scleroderma aurantiacum (L.) Pers.  
Scleroderma cepa (Vaill.)Pers.  
Scleroderma citrinum (=aurantium) Pers.  
Scleroderma geaster (=polyrhizon) Fr.  
Scutellinia scutellata (L.:St.Am.)Lamb.  
Stemonitis axifera (Bull.) T. Macbr.  
Stereum complicatum (Fr.)Fr.  
Stereum ostrea (=fasciatum,lobatum) (Fr.)Fr.  
Stereum striatum (=sericeum) (Fr.)Fr.  
Stereum subtomentosum Pouzar  
Strobilomyces confusus Sing.  
Strobilomyces floccopus (=strobilaceus) (Fr.)Karst.  
Suillus granulatus (L.:Fr.)Kuntze

Syzygites megalocarpus Ehrenb.:Fr.  
Taphrina amentorum Sadeb.  
Tetrapyrgos nigripes (=Marasmiellus) (Schwein.) E.  
Horak  
Thelephora palmata Scop.:Fr.  
Thelephora vialis Schw.  
Trametes gibbosa (=Trametes, Lenzites elegans)  
(Pers.) Fr.  
Trametes hirsuta (=Coriolus) (Wulf.:Fr.)Pilát  
Trametes pubescens (Schumach.) Pilát  
Trametes versicolor (=Coriolus) (L.:Fr.)Pilát  
Tremella foliacea Pers.:Fr.  
Tremellodendropsis semivestita (Berk. & M.A.  
Curtis)Petersen  
Trichaptum abietinum (Dicks.:Fr.)Ryv.  
Trichaptum bifforme (=pargamenum) (Fr.)Ryv.  
Trichoderma sp.  
Trichoglossum hirsutum (Pers.:Fr.)Boud.  
Tricholoma odorum Pk.  
Tricholoma saponaceum (Fr.)Kum.  
Tricholomopsis decora (Fr.)Sing.  
Tricholomopsis platyphylla (Fr.)Sing.  
Tylopilus alboater (Schw.)Murr.  
Tylopilus badiceps (Pk.)Sm.&Thrs.  
Tylopilus chromapes (=Leccinum) (Frost)Sm.&Thrs.  
Tylopilus eximius (Pk.)Sing.  
Tylopilus felleus (Bull.:Fr.)Karst.  
Tylopilus ferrugineus (Frost)Sing.  
Tylopilus indecisus (=indecisus) (Pk.)Murr.

Tylopilus plumbeoviolaceus (Snell)Snell  
Tylopilus rubrobrunneus Mazzer&Sm.  
Tylopilus violatinctus Baroni & Both  
Tyromyces caesius (Schrad.) Murrill  
Tyromyces chioneus (=albellus) (Fr.)Karst.  
Verticillium lamellicola (F.Smith)Gams  
Xanthoconium affine (=Boletus) (Pk.)Sing.  
Xanthoconium purpureum Snell&Dick  
Xanthoconium separans (=Boletus) (Pk.)Halling&Both  
Xeromphalina campanella (=Omphalina)  
(Fr.)Kuehn.&Maire  
Xeromphalina kauffmanii Sm.  
Xerula furfuracea Redhead,Ginns,Shoemaker  
Xerula megalospora (Clem.)Redhead,Ginns &  
Shoemak  
Xylobolus frustulatus (=Stereum frustulosum)  
(Fr.)Boid.